


CQM 282 Dementia: Functional Status Assessment

Documentation Step-by-Step

Users must document using a billable visit for a patient with a CPT code that qualifies for the measure (this is most routine CPT codes).

Workflow: Patients tab > Patient Chart > Edit Profile > Clinical Information tile > Add Diagnosis



AXXESS PalliativeCare

Testing Palliative Agency

Home Patients Schedule IDG Center People Billing Admin Reports Help

Edit Palliative Care Patient - 82Martin, Lucas Fox

Demographics ✓

Payer Information

Clinical Information

Health History

Providers

Pharmacy and DME

Authorized Contacts

Emergency Preparedness

Advance Directives

Patient Goals

Referral Information

My Notes

Clinical Information

Care Team: Pal Ohio

Clinical Manager: Start Typing...

Spiritual Care Counselor: Start Typing...

Aide: Start Typing...

Case Manager: Start Typing...

Admitting RN: Start Typing...

Social Worker: Start Typing...

Referral Diagnosis

ICD-10 Code: ICD-10 Diagnosis Description

Tolerable Pain Level: Select Tolerable Pain Level

COVID-19: CDC Coding Guidance

Add Diagnosis

ICD-10 Code	Description	Start Date	Actions
P39.2	Intra-amniotic infection affecting newborn, NEC	04/30/2025	✓ ✕ ⋮
L08.82	Omphalitis not of newborn	04/26/2025	✓ ✕ ⋮
A06.82	Other amebic genitourinary infections	02/11/2026	✓ ✕ ⋮

Diagnosis History

Cancel Previous Next Save

AXXESS © 2026 | Release Version: 1.0.4261.10 | Environment: Production | Built in Dallas, Texas

To document functional status navigate to Physical Assessment > Functional tile > ADL and IADL Assessment

Here, there is also a place to document when the assessment is not performed due to documented advanced-stage dementia and limited caregiver knowledge.

Functional

- ☐ Not Assessed This Visit
- ☐ Within Normal Limits:
- ☐ Abnormalities Found:
- ☒ ADL and IADL Assessment:
- ☐ ADL Assessment:
 - ☐ IADL Assessment:
 - ☐ Assessment not performed due to documented advanced-stage dementia and limited caregiver knowledge.

Comments

- ☐ Within Normal Limits:
- ☐ Abnormalities Found:
- ☒ ADL and IADL Assessment:

- ☒ ADL Assessment:

Ambulation**Independent**

Minimal

Moderate

Complete

Dressing**Bathing****Grooming****Toileting**

☒ ADL and IADL Assessment:

☒ ADL Assessment:

Ambulation

Select Dependence ▼

Transfer

Select Dependence ▼

Eating

Select Dependence ▼

Dressing

Select Dependence ▼

Bathing

Select Dependence ▼

Grooming

Select Dependence ▼

Toileting

Select Dependence ▼

☒ ADL and IADL Assessment:

☐ ADL Assessment:

☒ IADL Assessment:

Lawton and Brody IADL Scale

Scoring: For each category, select the item description that most closely resembles the client's highest functional level (either 0 or 1)

Ability to Use Telephone

- ☐ Operates telephone on own initiative - looks up and dials numbers, etc.
- ☐ Dials a few well-known numbers
- ☐ Answers telephone but does not dial
- ☐ Does not use telephone at all

Shopping

- ☐ Takes care of all shopping needs independently
- ☐ Shops independently for small purchases
- ☐ Needs to be accompanied on any shopping trip
- ☐ Completely unable to shop

Functional

☐ Not Assessed This Visit
☐ Within Normal Limits:
☐ Abnormalities Found:
☒ ADL and IADL Assessment:

☐ ADL Assessment:
☐ IADL Assessment:
☒ Assessment not performed due to documented advanced-stage dementia and limited caregiver knowledge.

Comments

At the end of the visit the user will see a list of G codes under the Dementia: Functional Status Assessment header and can select the most appropriate code.

Performance Met (G9916) - Functional status performed once in the last 12 months.

Denominator Exception (G9917) - Documentation of advanced stage dementia and caregiver knowledge is limited.

Performance Not Met (G9918) - Functional status not performed, reason not otherwise specified.

Provider Visit

Clinical Quality Measures		
Advance Care Planning ☐ 1123F - Measure Met: Advance care planning discussed and documented; advance care plan or surrogate decision-maker documented in the medical record ☐ 1123F(BP) - Performance Not Met: advance care planning not documented, reason not otherwise specified ☒ 1124F - Measure Met: Advance care planning discussed and documented in the medical record; patient did not wish or was not able to name a surrogate decision-maker or provide an advance care plan	Falls Plan of Care ☐ 0518F - Measure Met: Fall plan of care documented ☐ 0518F(19) - Measure Exception: Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair or minimal help in wheelchair ☒ 0518F(BP) - Measure Not Met: Fall plan of care not documented, reason not otherwise specified	Elder Maltreatment Screening ☐ G8535 - Measure Exception: Elder maltreatment screening not documented; documentation that patient is not eligible for the elder maltreatment screen at the time of the encounter ☐ G8536 - Measure Not Met: No documentation of an elder maltreatment screening; reason not given ☐ G8733 - Measure Met: Elder maltreatment screening documented as positive and a follow-up plan is documented ☐ G8734 - Measure Met: Elder maltreatment screening documented as negative, follow-up is not required ☐ G8735 - Measure Not Met: Elder maltreatment screening documented as positive, follow-up plan not documented and reason not given ☒ G8941 - Measure Exception: Elder maltreatment screening documented as positive, follow-up plan not documented, documentation the patient is not eligible for follow-up plan at the time of the encounter
Dementia: Functional Status Assessment ☐ G9916 - Measure met: Functional status performed once in the last 12 months ☐ G9917 - Measure met: Documentation of advanced stage dementia and caregiver knowledge is limited Measure Not Met ☒ G9918 - Performance not met - Functional status not performed, reason not otherwise specified	Screening for Social Drivers of Health ☐ M1207 - Measure met: Patient is screened for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety ☐ M1208 - Performance not met - Patient is not screened for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety ☒ M1237 - Measure met: Patient reason for not screening for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety (e.g., patient declined or other patient reasons)	